## Government of Tripura Office of the Chief Engineer PWD (Buildings) New Secretariat Building Agartala, West Tripura.

No.F.20(15)/SE(PROJECT)/2008(S) 1170 - 85

Date: 09/09/2/

## Subject :- Corrigendum to Schedule of Rates [SoR] 2020 Volume-II [Buildings]

The following modification has been incorporated in Tripura Schedule of Rates [SoR] 2020 Volume-II [Buildings] released on December 2019, as 2<sup>nd</sup> amendment.

Existing				Modified			
Sub Head	Page No	Code No	Description	Sub Head	Page No	Code No	Description
15.0 / Pile Work	SH:15- Page: 6	15.7 Note: 1	Vertical load testing of piles in accordance with IS 2911 (Part IV) including installation of loading platform by Kentledge and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & the direction of Engineer in charge:  Note: 1. Initial and  Routine Load Test shall be carried out by  Dynamic Method of  Testing	15.0 / Pile Work	SH:15- Page: 6	15.7 Note: 1	Vertical load testing of piles in accordance with IS 2911 (Part IV) including installation of loading platform by Kentledge and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & the direction of Engineer in charge:-  Note: 1. Initial and Routine Load Test shall not be carried out by Dynamic Method of Testing

This is issued with the approval of the Chief Engineer ,PWD(Buildings)

(Er. J. Das)
EO & Dy. Secretary)
PWD (Buildings), Agartala, Tripura.

## Copy to-

- 1. The Chief Engineer, PWD(R&B)/Buildings/PMGSY/DWS/WR/NH/RD/UDD for kind information.
- 2. The Chief Executive Officer, TH&CB, Tripura for kind information.
- 3. The Senior Architect, PWD, Tripura for information.
- 4. The Superintending Engineer, 1st Circle, PWD(R&B) / 2nd Circle, PWD(R&B) / 3rd Circle, PWD(R&B) / 4th Circle, PWD(R&B) / 5th Circle, PWD (R&B) / Planning & Design Unit, PWD(R&B) / Project Unit, PWD(Buildings) for information.
- 5. All Division under PWD(R&B) / PWD(Buildings) for information.
- 6. The Nodal Officer, I.T Application (PWD), O/O the Chief Engineer, PWD (R & B), Govt. of Tripura, Agartala, West Tripura for uploading the same in PWD website.

EO & Dy. Secretary)
PWD (Buildings), Agartala, Tripura.